

Zambelis LIGHTS

# PLUG AND PLAY SYSTEM WITH CERAMIC PARTS AND OPALS


**Please read instructions before commencing installation and retain for future reference.**






**Connecting the Terminal Block**

Connect main supply (**brown - L**ive, **blue - N**eutral) into terminal block making sure all connections are tight.




Suspension Kit (support 20-32W)
**25105 / Black Matt**

Intermediate Opal Glass 10W
**22232-B / Black Matt-Opal Glass**

Ceramic
**25114 / Loon Turquoise**

Ceramic
**25111 / Ant Red**
**25112 / Grey Green**
**25113 / Pine Green**

Intermediate Opal Glass 10W
**22232-B / Black Matt-Opal Glass**

Ceramic
**25111 / Ant Red**
**25112 / Grey Green**
**25113 / Pine Green**

Ceramic
**25109 / Stone Grey**
**25110 / Dark Pink**

Terminal Opal Glass 10W
**22231-B / Black Matt-Opal Glass**

## Assembly Method 1 (vertical pendant modular))

Ensure the main supply is switched off.
Fix the mounting bracket onto the ceiling with 4M self-taping screws.
Connect the positive and negative ground wires, and connect the power cord.
Making sure all connections are tight.
Secure the suspension kit onto the mounting bracket with the screws.
Install the assembled glass and ceramic components onto the lamp body (order can be adjusted freely).
Reconnect Power


## INSTALLATION INSTRUCTIONS

Electrical products can cause death, injury, or property damage.
Maintenance and installation should only be carried out
by a professional electrician.


## WARNING

Make sure that the products are installed properly before connecting to electricity.
Do not cover the luminaire.
Do not exceed the maximum wattage rating of the lamp.
If the light source is contained in this luminaire (integrated LED),
it shall only be replaced by the manufacturer,
his service agent, or a similarly qualified person.

Suspension Kit **25105 (support 20-32W)**



Suspension Kit **25105-1 (max 15W)**







30012026

Zambelis LIGHTS


# PLUG AND PLAY SYSTEM WITH CERAMIC PARTS AND OPALS

**Please read instructions before commencing installation and retain for future reference.**


**Reference for Assembly Method 1** The final part on your constructions must be the Terminal Opal Glass 22231-B




Suspension Kit **25105 (support 20-32W)**



Suspension Kit **25105-1 (max 15W)**



LED CRI 80 IP 20 0,5m

CE


RoHS Compliant


30012026

Zambelis LIGHTS

# PLUG AND PLAY SYSTEM WITH CERAMIC PARTS AND OPALS


**Please read instructions before commencing installation and retain for future reference.**






**Connecting the Terminal Block**

Connect main supply (**brown - L**ive, **blue - N**eutral) into terminal block making sure all connections are tight.




Suspension Kit (support 20-32W)
**25105 / Black Matt**

Ceramic
**25114 / Loon Turquoise**

Ceramic
**25111 / Ant Red**
**25112 / Grey Green**
**25113 / Pine Green**

Intermediate Opal Glass 15W
**25108 / Black Matt-Opal Glass**

Ceramic
**25111 / Ant Red**
**25112 / Grey Green**
**25113 / Pine Green**

Ceramic
**25109 / Stone Grey**
**25110 / Dark Pink**

Terminal Opal Glass 10W
**22231-B / Black Matt-Opal Glass**

## Assembly Method 2 (vertical pendant modular)

Ensure the main supply is switched off.
Remove the mounting plate from the ceiling canopy.
Fix the mounting plate onto the ceiling.
Connect the power supply wires.
Secure the ceiling canopy onto the mounting plate.
Assemble the glass and ceramic elements in sequence (order can be adjusted freely).
Install the assembled glass components onto the lamp body.
Adjust the suspension cable to the desired height.
Tighten all fixing screws securely.
Check the electrical connection.
Switch on the power to test the lamp.


## INSTALLATION INSTRUCTIONS

⚠ Electrical products can cause death, injury, or property damage.
Maintenance and installation should only be carried out by a professional electrician.


## WARNING

⚠ Make sure that the products are installed properly before connecting to electricity.
Do not cover the luminaire.
Do not exceed the maximum wattage rating of the lamp.
If the light source is contained in this luminaire (integrated LED), it shall only be replaced by the manufacturer, his service agent, or a similarly qualified person.

Suspension Kit **25105 (support 20-32W)**



Suspension Kit **25105-1 (max 15W)**






30012026


Zambelis LIGHTS

# PLUG AND PLAY SYSTEM WITH CERAMIC PARTS AND OPALS


**Please read instructions before commencing installation and retain for future reference.**

**Reference for Assembly Method 2** The final part on your constructions must be the Terminal Opal Glass 22231-B


30W





25W





Suspension Kit **25105 (support 20-32W)**




20W




10W




Suspension Kit **25105-1 (max 15W)**






30012026