




## Trimless installation, ceiling and wall application\_\_



Trimless magnetic track installation in sandwich configuration between two gypsum board panels.



Finish with plastering and painting for a completely trimless result.




Please read instructions before commencing installation and retain for future reference.

The trimless magnetic track must be installed between two gypsum board panels. First, fix the track onto the first gypsum board panel. Then install the second gypsum board panel and screw it onto the track. After assembling all components together, install the complete structure onto the ceiling or wall, secure it properly, and finish with plastering and painting.


## SYSTEM REFERENCE

- **Track Form:** Linear, Curved
- **Installation:** Trimless, Surface, Pendant
- **Material:** Aluminium





## Trimless installation, ceiling and wall application\_\_



Notice: If a cross-connection is mandatory

Notice: If a "T" connection is mandatory

Please read instructions before commencing installation and retain for future reference.

| Tracks | Length | Color      |
|--------|--------|------------|
| 2504   | 100cm  | Black Matt |
| 2504-W | 100cm  | White Matt |
| 2505   | 200cm  | Black Matt |
| 2505-W | 200cm  | White Matt |
| 2506   | 300cm  | Black Matt |
| 2506-W | 300cm  | White Matt |

| Corners | Installation   | Color      |
|---------|----------------|------------|
| 2518    | Vertical Inner | Black Matt |
| 2518-W  | Vertical Inner | White Matt |
| 2517    | Horizontal     | Black Matt |
| 2517-W  | Horizontal     | White Matt |
| 2519    | Outer Vertical | Black Matt |

Notice: For Corner it is also required to order Flex Connector 2510, 2510-W  
Notice: Straight Mechanic Connector included

| Connectors | Installation    | Color      |
|------------|-----------------|------------|
| 2520       | T Connector     | Black Matt |
| 2521       | Cross Connector | Black Matt |

Notice: For "T" Connector it is also required to order "T" Flex Connector 2509-3D  
Notice: For Cross Connector it is also required to order 2pcs of Flex Connector 2510  
Notice: Straight Mechanic Connector included

LED


CRI  
90

IP 20




CE





### Surface installation, ceiling and wall application\_\_



Please read instructions before commencing installation and retain for future reference.

| Tracks | Length | Color      |
|--------|--------|------------|
| 2501   | 100cm  | Black Matt |
| 2501-W | 100cm  | White Matt |
| 2502   | 200cm  | Black Matt |
| 2502-W | 200cm  | White Matt |
| 2503   | 300cm  | Black Matt |
| 2503-W | 300cm  | White Matt |


| Corners | Installation   | Color      |
|---------|----------------|------------|
| 2512    | Vertical Inner | Black Matt |
| 2512-W  | Vertical Inner | White Matt |
| 2511    | Horizontal     | Black Matt |
| 2511-W  | Horizontal     | White Matt |
| 2513    | Outer Vertical | Black Matt |

Notice: For Corner it is also required to order Flex Connector 2510, 2510-W  
Notice: Straight Mechanic Connector included

| Connectors | Installation    | Color      |
|------------|-----------------|------------|
| 2514       | T Connector     | Black Matt |
| 2521       | Cross Connector | Black Matt |

Notice: For "T" Connector it is also required to order "T" Flex Connector 2509-3D  
Notice: For Cross Connector it is also required to order 2pcs of Flex Connector 2510  
Notice: Straight Mechanic Connector included

| Curved Track | Length        | Color      |
|--------------|---------------|------------|
| 25162        | Ø60 L: 52,1cm | Black Matt |
| 25166        | Ø60 L: 52,1cm | White Matt |



LED


CRI  
90

IP 20




CE





## Pendant installation\_\_

For pendant installation it also required to order Suspension Kit 2516,  
Ceiling Base 23280 and Feeder 2508-2M



Please read instructions before commencing installation and retain for future reference.

| Tracks | Length | Color      |
|--------|--------|------------|
| 2501   | 100cm  | Black Matt |
| 2501-W | 100cm  | White Matt |
| 2502   | 200cm  | Black Matt |
| 2502-W | 200cm  | White Matt |
| 2503   | 300cm  | Black Matt |
| 2503-W | 300cm  | White Matt |

| Corners | Installation   | Color      |
|---------|----------------|------------|
| 2512    | Vertical Inner | Black Matt |
| 2512-W  | Vertical Inner | White Matt |
| 2511    | Horizontal     | Black Matt |
| 2511-W  | Horizontal     | White Matt |
| 2513    | Outer Vertical | Black Matt |

Notice: For Corner it is also required to order Flex Connector 2510, 2510-W  
Notice: Straight Mechanic Connector included

| Connectors | Installation    | Color      |
|------------|-----------------|------------|
| 2514       | T Connector     | Black Matt |
| 2521       | Cross Connector | Black Matt |

Notice: For "T" Connector it is also required to order "T" Flex Connector 2509-3D  
Notice: For Cross Connector it is also required to order 2pcs of Flex Connector 2510  
Notice: Straight Mechanic Connector included

